

Hole No.	Total Depth (m)	From (m)	To (m)	Interval (m)*	Au g/t	Ag g/t	Assays Complete	
<b>MC-09-04</b>	259.00	86.50	103.20	16.70	0.25	2.9	Yes	
		120.50	149.50	29.00	0.69	106.1		
		including	120.50	133.00	12.50	1.52	109.9	
		including	120.50	130.45	9.95	1.87	31.2	
		120.50	207.50	87.00	0.24	42.8		
<b>MC-09-05</b>	274.25	166.50	201.00	34.50	0.03	14.3	Yes	
<b>MC-09-06</b>	414.70	153.50	186.00	32.50	0.43	2.7	Yes	
<b>MC-09-07</b>	298.70	276.90	284.50	8.60	0.08	63.7	Yes	
		295.70	298.70	3.00	3.71	4.0		
<b>MC-09-08</b>	338.35	No significant intervals					Yes	
<b>MC-09-09</b>	399.35	No significant intervals					Yes	
<b>MC-09-10</b>	335.10	236.20	240.70	4.50	0.03	36.7	Yes	
<b>MC-09-11</b>	371.85	278.67	284.58	5.91	0.42	5.0	Yes	
		298.65	300.60	1.95	0.06	65.7		
		370.00	370.85	0.85	0.28	18.7		
<b>SM-09-62</b>	310.85	211.60	216.50	4.90	1.72	193.4	Yes	
		235.95	241.50	5.55	1.25	14.5		
<b>SM-09-63</b>	396.30	246.13	249.16	3.03	4.10	19.1	Yes	
		288.74	311.20	22.46	3.72	91.4		
		including	288.74	295.70	6.96	10.55	267.1	
<b>SM-09-64</b>	388.05	193.00	205.15	12.15	0.39	51.6	Yes	
		211.60	232.50	20.90	1.88	167.3		

	including	215.68	224.50	8.82	3.86	360.2	
		344.00	347.60	3.60	5.57	1.4	
	including	346.50	347.60	1.10	17.45	3.4	
<b>SA-09-62</b>	658.55	12.75	15.00	2.25	0.00	166.6	Yes
		25.80	30.50	4.70	0.00	101.1	
		454.00	460.00	6.00	0.55	0.6	

<b>SA-09-63</b>	539.65	1.50	9.50	8.00	0.00	54.3	Yes
		43.50	52.50	9.00	0.01	119.9	
		385.03	396.25	11.22	0.91	2.2	
	including	386.17	389.20	3.03	2.12	1.6	
		539.11	539.65	0.54	1.21	0.1	
<b>SA-09-64</b>	487.80	33.65	38.95	5.30	0.00	44.6	Yes
		44.90	48.50	3.60	0.00	155.7	
		96.80	104.25	7.45	0.00	34.5	
<b>SL-09-09</b>	100.45	51.35	60.80	9.45	0.87	63.2	Yes
	including	54.40	60.80	6.40	1.24	32.9	
		60.80	65.40	4.60	no recovery		
		65.40	67.17	1.77	0.88	95.6	
		67.17	68.57	1.40	no recovery		
		68.57	71.89	3.32	1.16	163.9	
<b>SL-09-10</b>	231.55	188.29	195.15	6.86	4.47	62.0	Yes
	including	188.29	189.05	0.76	23.00	324.0	
<b>SL-09-11</b>	179.75	136.65	146.00	9.35	0.41	0.8	Yes
<b>AL-09-01</b>	399.30	No significant intervals					Yes
<b>VA-09-01</b>	259.05	No significant intervals					Yes
<b>VA-09-02</b>	420.70	No significant intervals					Yes
<b>GU-30</b>	194.00	39.70	47.30	7.60	0.39	10.4	Yes
		51.30	54.40	3.10	1.27	16.8	
		78.90	84.90	6.00	0.28	3.3	
		103.60	106.60	3.00	2.38	22.4	
		111.60	117.60	6.00	0.81	26.7	
		135.60	190.80	55.20	0.74	9.5	

	including	154.10	155.60	1.50	9.61	37.7	
	<i>w/out all compos. rules</i>	39.70	190.80	151.10	0.60	8.5	
<b>SF-09-01</b>	362.75	116.00	124.75	8.75	1.03	38.4	Yes
		151.85	163.65	11.80	2.10	9.4	
	including	155.30	158.10	2.80	4.97	20.5	
		228.00	231.00	3.00	0.47	30.5	

<b>SF-09-02</b>	356.65	99.50	103.50	4.00	0.29	24.0	Yes
		109.00	112.20	3.20	1.01	65.3	
		132.20	136.50	4.30	0.55	39.3	
		141.70	149.75	8.05	0.49	4.6	
		157.00	188.00	31.00	1.35	7.2	
		215.60	221.50	5.90	0.35	1.9	
<b>SF-09-03</b>	411.55	87.30	101.50	14.20	0.46	4.8	Yes
		115.00	125.50	10.50	0.40	1.8	
<b>SF-09-04</b>	310.90	8.25	25.90	17.65	0.54	11.7	Yes
<b>SF-10-05</b>	509.15	125.35	146.05	20.70	6.26	Yes	Yes
	including	132.45	139.70	7.25	17.22	2256.3	
		161.05	166.40	5.35	0.81	55.1	
		184.75	191.95	7.20	0.61	28.8	
		286.70	290.40	3.70	1.18	7.8	
		471.85	483.40	11.55	1.17	7.5	
	including	471.85	473.20	1.35	7.60	11.5	
<b>SF-10-06</b>	365.80	109.00	127.30	18.30	1.31	16.7	Yes
	including	109.00	118.50	9.50	2.16	16.3	
	including	112.00	113.60	1.60	8.69	30.7	
		191.00	194.60	3.60	0.90	31.1	
		199.50	208.00	8.50	0.31	18.0	
		239.00	252.35	13.35	0.44	7.6	
		257.20	263.30	6.10	0.34	12.4	
	<i>w/out all compos. rules</i>	239.00	269.20	30.20	0.34	9.6	
<b>SF-10-07</b>	399.35	274.70	277.80	3.10	0.50	7.8	Yes
<b>SF-10-08</b>	271.20	15.60	19.20	3.60	0.76	3.6	Yes
		23.65	26.75	3.10	1.05	6.6	
		84.75	94.50	9.75	0.50	37.6	
<b>SF-10-09</b>	329.15	19.85	32.20	12.35	0.73	7.2	Yes

		72.45	76.00	3.55	0.97	20.5	
<b>SF-10-10</b>	259.00	199.70	203.00	3.30	0.46	14.9	Yes
		231.30	242.55	11.25	0.82	64.4	
		246.25	249.90	3.65	0.34	9.1	
	<i>w/out all compos. rules</i>	231.30	249.90	18.60	0.60	42.3	
<b>SF-10-11</b>	161.40					Yes	Yes
		12.50	27.35	14.85	0.54	3.5	
	<i>w/out all compos. rules</i>	12.50	45.85	33.35	0.40	4.6	
		82.80	88.90	6.10	8.78	36.4	
	including	87.05	88.90	1.85	28.20	93.3	

<b>SF-10-12</b>	249.85	36.10	44.85	8.75	0.73	33.0	Yes
		49.60	51.00	1.40	5.23	32.0	
<b>SF-10-13</b>	390.15	No significant intervals					Yes
<b>SF-10-14</b>	359.70	20.00	24.00	4.00	0.63	9.6	Yes
		145.25	154.85	9.60	1.25	3.6	
		229.25	233.55	4.30	0.24	0.9	
		350.45	356.45	6.00	0.37	1.4	
<b>SF-10-15</b>	259.00	7.75	12.50	4.75	0.68	78.6	Yes
		20.00	24.50	4.50	0.90	9.5	
		71.55	74.65	3.10	0.36	3.9	
		108.80	136.85	28.05	1.26	7.0	
<b>SF-10-16</b>	307.80	No significant intervals					Yes
<b>SF-10-17</b>	360.95	No significant intervals					Yes
<b>SF-10-18</b>	341.15	57.00	60.70	3.70	0.60	0.6	Yes
		136.00	150.75	14.75	0.79	26.6	
		188.15	191.65	3.50	0.77	46.9	
<b>SF-10-19</b>	298.70	28.35	34.30	5.95	0.56	1.0	Yes
		40.95	47.30	6.35	0.75	7.7	
		74.10	85.50	11.40	0.52	3.9	
		134.95	142.75	7.80	0.39	11.7	
		194.30	197.90	3.60	0.29	4.1	
<b>SF-10-20</b>	285.50	134.00	138.55	4.55	0.29	4.1	Yes
<b>SF-10-21</b>	341.25	0.00	13.40	13.40	0.91	9.2	Yes
		27.60	35.70	8.10	0.33	5.5	
		38.80	42.20	3.40	1.38	153.0	
		47.00	58.55	11.55	0.97	27.5	
		62.20	73.15	10.95	0.57	12.1	
	<i>w/out all compos. rules</i>	0.00	78.50	78.50	0.53	19.0	
		99.85	103.30	3.45	0.86	6.3	



<b>SF-10-28</b>	207.15		No significant intervals				Yes
<b>SF-10-29</b>	240.70	5.45	12.40	6.95	1.16	12.8	Yes
		17.25	32.00	14.75	1.98	7.4	
		36.60	41.85	5.25	0.20	0.9	
	<i>w/out all compos. rules</i>	5.45	41.85	36.40	1.08	5.9	
		78.30	101.00	22.70	0.83	20.8	
		130.40	135.95	5.55	0.44	2.9	
		139.55	199.40	59.85	0.64	11.7	
		206.55	209.65	3.10	0.55	3.1	
<b>SF-10-30</b>	310.85	70.65	93.70	5.30	0.38	6.8	Yes
		79.95	93.70	13.75	0.33	5.1	
		105.10	111.80	6.70	0.45	10.1	
		120.20	150.45	30.25	0.43	7.5	
		157.90	171.55	13.65	0.45	2.0	
		260.35	264.20	3.85	0.25	1.7	
		279.45	284.30	4.85	0.25	1.6	
<b>SF-10-31</b>	246.85	88.25	96.60	8.35	3.58	4.8	Yes
<b>SF-10-32</b>	292.60	115.30	119.25	3.95	4.85	48.1	Yes
	including	116.95	117.80	0.85	21.30	150.0	
		125.00	132.15	7.15	0.57	20.1	
	<i>w/out all compos. rules</i>	115.30	132.15	16.85	1.43	23.0	
		180.70	183.90	3.20	0.31	2.1	
<b>SF-10-33</b>	252.95	8.55	16.20	7.65	0.91	16.3	Yes
		22.05	24.20	2.15	1.02	8.4	
	<i>w/out all compos. rules</i>	32.85	33.90	1.05	16.65	23.0	
		147.15	150.20	3.05	0.55	25.4	
<b>SF-10-34</b>	161.45	47.15	79.60	32.45	2.76	10.8	Yes
	including	66.90	71.45	4.55	15.83	1.0	
		99.30	104.30	5.00	0.45	9.6	
<b>DS-10-001</b>	536.80	483.50	496.25	12.75	2.59	105.7	Yes
	including	483.50	491.05	7.55	4.25	152.0	

<b>RCMC-10-001</b>	292.61	204.22	208.79	4.57	1.06	269.0	Yes
<b>RCMC-10-002</b>	335.28	No significant intervals					Yes
<b>RCMC-10-003</b>	292.61	No significant intervals					Yes
<b>RCMC-10-004</b>	286.51	No significant intervals					Yes
<b>RCSF-10-001</b>	249.94	50.29	65.53	15.24	0.56	17.0	Yes
		105.16	134.11	28.96	1.22	13.3	
		222.50	225.55	3.05	3.05	4.2	
		242.32	245.36	3.05	0.46	1.2	
<b>RCSF-10-002</b>	242.32	13.72	21.34	7.62	0.62	3.4	Yes
		132.59	137.16	4.57	0.44	0.8	
		140.21	144.78	4.57	0.70	1.8	
		152.40	155.45	3.05	1.94	4.5	
	<i>w/out all compos. rules</i>	132.59	155.45	22.86	0.54	1.7	
		164.59	167.64	3.05	0.50	2.6	
		176.78	187.45	10.67	0.70	3.7	
		190.50	201.17	10.67	0.28	2.2	
		204.22	208.79	4.57	0.82	3.6	
	<i>w/out all compos. rules</i>	176.78	208.79	32.00	0.48	3.1	
		217.93	224.03	6.10	1.01	11.2	
		225.55	231.65	6.10	Sample contaminated		
		231.65	242.32	10.67	No sample recovered		
<b>RCSF-10-003</b>	365.76	138.68	144.78	6.10	0.33	3.8	Yes
		161.54	164.59	3.05	0.40	5.8	
<b>RCSF-10-004</b>	332.23	179.83	185.93	6.10	0.70	59.0	Yes
		199.64	242.32	42.67	1.33	6.2	

		245.36	259.08	13.72	0.53	4.5	
	<i>w/out all compos. rules</i>	199.64	259.08	59.44	1.09	5.6	
		263.65	268.22	4.57	0.34	1.8	
		272.80	275.84	3.05	0.62	1.5	
		315.47	320.04	4.57	0.56	0.6	
		324.61	327.66	3.05	0.55	1.1	
<b>RCSF-10-005</b>	292.61	12.19	18.29	6.10	0.62	90.7	Yes
		51.82	60.96	9.14	0.69	11.2	
		167.64	184.40	16.76	3.76	12.7	
		187.45	192.02	4.57	0.59	2.9	
		196.60	204.22	7.62	0.78	3.0	
		207.26	210.31	3.05	0.40	4.4	
		213.36	216.41	3.05	0.33	1.1	
	<i>w/out all compos. rules</i>	167.64	216.41	48.77	1.56	5.9	

<b>RCSF-10-006</b>	359.66	132.59	137.16	4.57	0.52	23.6	Yes
		141.73	147.83	6.10	0.85	19.6	
		176.78	179.83	3.05	0.67	108.2	
		182.88	185.93	3.05	1.33	52.8	
		192.02	213.36	21.34	0.64	4.9	
		224.03	272.80	48.77	0.91	5.6	
		278.89	291.08	12.19	0.64	3.1	
		300.23	306.32	6.10	1.08	2.4	
	<i>w/out all compos. rules</i>	176.78	306.32	129.54	0.64	7.9	
<b>RCSF-10-007</b>	371.86	73.15	83.82	10.67	0.44	17.5	Yes
		86.87	102.11	15.24	2.87	42.8	
	including	96.01	97.54	1.52	19.75	225.0	
	<i>w/out all compos. rules</i>	73.15	102.11	28.96	1.74	29.8	
		109.73	114.30	4.57	0.66	30.8	
		123.44	126.49	3.05	0.53	10.9	
		176.78	192.02	15.24	1.49	2.6	
		281.94	284.99	3.05	0.37	8.0	
		365.76	370.33	4.57	0.49	2.5	
<b>RCSF-10-008</b>	406.91	0.00	4.57	4.57	0.50	4.0	Yes
		10.67	13.72	3.05	0.48	6.0	
		25.91	36.58	10.67	0.98	19.7	
		73.15	77.72	4.57	0.57	7.2	
		86.87	89.92	3.05	0.27	7.1	
		96.01	102.11	6.10	0.44	4.2	
		140.21	143.26	3.05	0.43	3.8	
		146.30	178.31	32.00	1.89	9.2	
	including	146.30	166.12	19.81	2.66	12.5	
<b>RCSF-10-009</b>	278.89	68.58	71.63	3.05	0.62	1.7	Yes
		111.25	115.82	4.57	0.33	1.4	
		192.02	199.64	7.62	0.43	3.3	
<b>RCSF-10-010</b>	335.28	80.77	85.34	4.57	0.33	7.8	Yes
		99.06	103.63	4.57	0.65	4.0	
		111.25	115.82	4.57	1.02	10.5	
		140.21	153.92	13.72	1.36	9.9	

		167.64	176.78	9.14	1.43	5.1	
		195.07	198.12	3.05	1.30	12.7	
		213.36	219.46	6.10	0.28	7.4	
<b>RCSF-10-011</b>	335.28	64.01	68.58	4.57	0.34	10.1	Yes
		73.15	76.20	3.05	0.71	5.3	
		99.06	103.63	4.57	0.39	1.3	
		153.92	169.16	15.24	2.05	8.7	
		316.99	320.04	3.05	0.73	38.3	
<b>RCSF-10-012</b>	384.05	45.72	54.86	9.14	1.33	27.7	Yes
		83.82	89.92	6.10	0.30	2.6	
		97.54	111.25	13.72	3.25	19.5	
	including	97.54	99.06	1.52	23.50	88.5	
	<i>w/out all compos. rules</i>	83.82	111.25	27.43	1.73	10.9	
		138.68	141.73	3.05	0.48	0.6	
		146.30	153.92	7.62	0.86	5.7	
	<i>w/out all compos. rules</i>	138.68	153.92	15.24	0.55	3.2	
		176.78	179.83	3.05	2.95	1.5	
		184.40	190.50	6.10	0.81	1.0	
		195.07	199.64	4.57	0.22	0.4	
	<i>w/out all compos. rules</i>	176.78	199.64	22.86	0.71	0.6	
		289.56	292.61	3.05	0.38	4.3	
<b>RCSF-10-013</b>	298.70	9.14	13.72	4.57	1.11	10.2	Yes
		62.48	70.10	7.62	2.71	66.9	
		216.41	219.46	3.05	0.39	1.9	
<b>RCSF-10-014</b>	304.80	39.62	42.67	3.05	0.26	7.3	Yes
		109.73	112.78	3.05	1.03	5.3	
		152.40	156.97	4.57	0.38	2.5	
		163.07	166.12	3.05	0.32	6.0	
<b>RCSF-10-015</b>	356.62	237.74	243.84	6.10	0.83	37.7	Yes
<b>RCSF-10-016</b>	408.43	202.69	205.74	3.05	0.48	11.9	Yes

		275.84	280.42	4.57	1.19	2.1	
		367.28	370.33	3.05	0.31	1.5	
<b>RCSF-10-017</b>	365.76	25.91	28.96	3.05	0.91	6.3	Yes
		100.58	105.16	4.57	0.45	17.1	
		242.32	246.89	4.57	0.41	6.9	
		254.51	257.56	3.05	0.42	6.1	
<b>RCSF-10-018</b>	408.43	22.86	27.43	4.57	1.80	20.8	Yes
		53.34	56.39	3.05	0.35	2.4	
		71.63	76.20	4.57	0.64	8.9	
		89.92	94.49	4.57	0.58	6.8	
		106.68	117.35	10.67	0.53	32.2	
		352.04	356.62	4.57	0.54	2.1	
		403.86	406.91	3.05	0.74	38.2	
<b>RCSF-10-019</b>	356.62	12.19	15.24	3.05	0.39	19.1	Yes
		246.89	251.46	4.57	0.46	1.9	
<b>RCSF-10-020</b>	396.24	No significant intervals					Yes
<b>RCSF-10-021</b>	298.70	170.69	179.83	9.14	0.85	17.5	Yes
		193.55	202.69	9.14	0.29	5.6	
		283.46	298.70	15.24	No sample recovered		
<b>RCSF-10-022</b>	408.43	262.13	265.18	3.05	0.27	9.3	Yes
<b>RCSF-10-023</b>	219.46	41.15	44.20	3.05	0.42	4.2	Yes
		67.06	73.15	6.10	0.34	37.6	
		79.25	82.30	3.05	0.40	10.0	
		141.73	147.83	6.10	0.27	8.5	
<b>RCSF-10-024</b>	213.36	54.86	71.63	16.76	0.84	60.8	Yes
		74.68	94.49	19.81	0.62	12.1	
	<i>w/out all compos. rules</i>	54.86	94.49	39.62	0.68	32.2	
<b>RCSF-10-025</b>	256.03	73.15	76.20	3.05	0.37	187.5	Yes
		91.44	96.01	4.57	0.71	454.4	

		102.11	111.25	9.14	0.80	7.6	
<b>RCSF-10-026</b>	201.17	0.00	6.10	6.10	0.32	9.0	Yes
<b>RCSF-10-027</b>	201.17	24.38	32.00	7.62	0.46	150.5	Yes
	<i>w/out all compos. rules</i>	24.38	45.72	21.34	0.29	103.0	
<b>RCSF-10-028</b>	225.55	24.38	28.96	4.57	0.87	115.8	Yes
		62.48	65.53	3.05	0.45	60.5	
		71.63	76.20	4.57	0.35	41.8	
<b>RCSF-10-029</b>	216.41	28.96	35.05	6.10	1.94	5.8	Yes
<b>RCSF-10-030</b>	207.26	16.76	24.38	7.62	1.11	9.3	Yes
		38.10	53.34	15.24	1.80	11.5	
		67.06	74.68	7.62	0.47	19.1	
		86.87	91.44	4.57	0.24	0.9	
		202.69	207.26	4.57	0.47	6.7	
<b>RC-LV-10-001</b>	176.78	No significant intervals					No
<b>RC-LV-10-002</b>	192.02	No significant intervals					Yes
<b>RC-LV-10-003</b>	198.12	No significant intervals					Yes
<b>RCLV-10-004</b>	176.78	80.77	83.82	3.05	2.67	975.5	Yes
		147.83	176.78	28.96	0.31	134.8	
<b>RCLV-10-006</b>	277.37	No significant intervals					Yes
<b>RCLV-10-005</b>	262.13	No significant intervals					Yes
<b>RCLV-10-007</b>	237.74	89.92	94.49	4.57	0.09	61.3	Yes
<b>RCLV-10-008</b>	283.46	172.21	176.78	4.57	0.04	45.4	Yes
<b>RCLV-10-009</b>	216.41	No significant intervals					Yes

<b>RCLV-10-010</b>	246.89	No significant intervals					Yes
<b>RCLV-10-011</b>	48.77	No significant intervals					Yes
<b>DS-10-002</b>	667.75	No significant intervals					Yes
<b>RCLV-10-012</b>	274.32	67.06	77.72	10.67	0.69	193.5	Yes
	including	68.58	71.63	3.05	2.09	315.0	
		96.01	100.58	4.57	0.04	43.7	
<b>RCLV-10-013</b>	262.13	No significant intervals					Yes
<b>DS-10-003</b>	576.20	211.40	214.75	3.35	0.11	56.6	Yes
		519.15	530.80	11.65	2.23	77.4	
	including	521.95	529.70	7.75	3.06	90.1	
<b>RCLV-10-014</b>	301.75	No significant intervals					Yes
<b>DS-10-004</b>	411.55	303.10	312.55	9.45	9.18	825.6	Yes
	including	311.60	312.55	0.95	52.00	5270.0	
		337.25	339.10	1.85	3.86	616.9	
<b>RCLV-10-015</b>	298.70	181.36	190.50	9.14	0.07	58.7	Yes
<b>DS-10-005</b>	429.85	394.50	421.45	26.95	3.11	169.4	Yes
	including	397.80	399.10	1.30	28.80	175.0	
<b>DS-10-006</b>	512.25	420.05	425.15	5.10	0.73	66.1	Yes
		427.25	436.90	9.65	5.35	387.4	

	including	429.05	430.50	1.45	13.60	864.0	
	including	434.40	435.40	1.00	14.75	1120.0	
		438.70	442.50	3.80	0.33	12.1	
<b>RCSF-10-031</b>	231.65	0.00	4.57	4.57	0.47	3.3	Yes
		30.48	39.62	9.14	0.42	15.8	
		147.83	150.88	3.05	0.55	4.6	
		214.88	219.46	4.57	1.36	24.5	

<b>RCSF-10-033</b>	249.94	4.57	7.62	3.05	0.29	2.0	Yes
		10.67	13.72	3.05	0.28	2.8	
		15.24	18.29	3.05	0.59	3.0	
		19.81	24.38	4.57	3.35	4.8	
		39.62	45.72	6.10	2.42	8.3	
		54.86	62.48	7.62	8.98	11.7	
	including	59.44	60.96	1.52	38.20	35.0	
		64.01	73.15	9.14	3.81	19.6	
	including	67.06	70.10	3.05	10.59	36.4	
		76.20	79.25	3.05	0.50	14.7	

<b>RCSF-10-034</b>	231.65	60.96	64.01	3.05	0.48	6.7	Yes
--------------------	--------	-------	-------	------	------	-----	-----

<b>RCSF-10-035</b>	201.17	38.10	41.15	3.05	0.31	0.5	Yes
		70.10	73.15	3.05	0.30	3.5	
		77.72	82.30	4.57	0.53	2.8	
		86.87	94.49	7.62	0.59	4.2	

<b>RCSF-10-032</b>	193.55	6.10	9.14	3.05	0.92	2.9	YES
		10.67	13.72	3.05	0.40	5.1	
		36.58	39.62	3.05	0.58	2.9	
		50.29	56.39	6.10	1.19	28.8	
		164.59	167.64	3.05	0.70	8.2	

<b>SF-10-035</b>	262.10	7.10	13.40	6.30	0.41	18.3	Yes
------------------	--------	------	-------	------	------	------	-----

<b>* Note that these are not true widths</b>	
--	--