

Sleeper Drill Hole Composites - Post AMAX; 3 ppm Au cutoff

HOLE-ID	mFrom	mTo	mLength	Au_ppm	Ag_ppm
BCP-05-04	138.68	140.21	1.53	7.68	0.5
CFAC-01-C	59.44	60.96	1.52	12.86	4.7
CFAC-01-C	82.3	83.82	1.52	3.84	2
FAC-01-04	134.11	135.64	1.53	3	0.2
FAC-01-04	175.26	176.78	1.52	4.11	0.2
FAC-06-04	152.4	155.45	3.05	5.93	0.7
FAC-11-04	147.83	150.88	3.05	5.18	1.4
FAC-11-04	156.97	158.5	1.53	3.19	1.9
FAC-12-04	27.43	30.48	3.05	10.48	0.9
FAC-12-04	38.1	39.62	1.52	3.29	0.7
FAC-13-04	124.97	126.49	1.52	5.04	1.2
FAC-15-04	138.68	140.21	1.53	3.14	1.3
FAC-17A-C	99.06	100.58	1.52	5.04	1
FAC-18-04	38.1	39.62	1.52	3.01	2.7
FAC-19-04	146.3	149.35	3.05	7.15	2.6
FAC-20-04	163.07	164.59	1.52	3.74	1.4
MC-43-04	456.59	458.11	1.52	3.69	1.4
MC-44-04	487.68	489.2	1.52	5.72	0.4
MV-02-05	62.03	63.55	1.52	3.75	4.3
NE-05-03	284.99	286.51	1.52	3.33	1.3
NEM-01-03	47.24	48.77	1.53	3.9	1.9
NEM-01-03	50.29	53.34	3.05	3.89	1.3
NWS-04-03	161.24	163.07	1.83	4.62	0
OP-01-05	86.87	89.92	3.05	5.67	0.6
OP-03-05	73.15	74.68	1.53	9.34	0.4
OPV-01-03	103.63	105.16	1.53	11.01	6.8
OPV-01-03	106.68	108.2	1.52	3.32	1.5
RF-06-01	44.2	47.24	3.04	3.66	5.9
RF-06-01	147.83	149.35	1.52	7.92	2.1
S1573	32	33.53	1.53	12.75	1.4
S1573	114.3	118.87	4.57	4.79	1
S1577	230.12	231.65	1.53	11.21	2.4
S1577	243.84	245.36	1.52	4.05	1.9
S1577	283.46	284.99	1.53	5.38	6.3
S1578	164.59	167.64	3.05	4.68	0.8
S1578	227.08	228.6	1.52	4.66	0.3
S1579	27.43	28.96	1.53	7.2	0.3
S1580	112.78	114.3	1.52	3.02	2.9
S1581	240.79	243.84	3.05	5.9	1.4
S1581	246.89	248.41	1.52	4.29	10.9
S1581	252.98	256.03	3.05	6.16	4.6
S1583	219.46	222.5	3.04	81.22	1.8
S1583	225.55	227.08	1.53	3.91	1
S1586	196.6	198.12	1.52	4.39	2
S1589	134.11	137.16	3.05	4.75	19.3
S1591	224.03	225.55	1.52	4.56	0.2
S1591	234.7	236.22	1.52	3.43	3.3

S1591	248.41	249.94	1.53	3.7	1.4
S1591	256.03	266.7	10.67	13.02	3
S1593	321.56	323.09	1.53	5.76	1.3
S1593	327.66	332.23	4.57	164.74	1.1
S1593	333.76	335.28	1.52	9.05	3.1
S1593	342.14	345.95	3.81	4.7	1.9
S1593	347.47	355.09	7.62	6.29	1
S1593	376.43	377.95	1.52	4.15	2.8
S1593	381	382.52	1.52	3.39	1.2
S1601	228.6	230.12	1.52	4.11	0.4
S1601	320.04	321.56	1.52	3.09	2.9
S1601	429.77	431.29	1.52	3.15	3.2
S1603	224.03	227.08	3.05	8.83	2
S1603	228.6	234.7	6.1	10.03	3.6
S1603	260.6	262.13	1.53	3.67	1
S1607	1.52	3.05	1.53	4.46	4.4
S1609	85.34	86.87	1.53	3.67	0.7
S1617	0	1.52	1.52	9.05	1.6
S1622	65.53	67.06	1.53	11.49	1.1
S1622	68.58	70.1	1.52	37.61	0.5
S1640	120.4	121.92	1.52	3.26	0.6
S97102P	102.11	103.63	1.52	4.18	0.2
S97105P	307.85	309.37	1.52	3.7	0
S97105P	310.9	312.42	1.52	4.46	0
S97110R	170.69	172.21	1.52	3.29	0.2
S97114P	114.3	115.82	1.52	14.43	0.1
S97136	74.68	76.2	1.52	10.01	0.7
S97136	79.25	80.77	1.52	3.26	0.2
S97136	164.59	166.12	1.53	3.77	1.9
S97136	202.69	204.22	1.53	4.01	0.2
S97136	460.25	461.77	1.52	3.29	1.6
S9794P	252.98	256.64	3.66	4.53	1.6
S9794P	313.94	315.47	1.53	4.05	0.1
S9794P	365.76	367.89	2.13	5.44	0.3
WW-01-03	198.12	201.17	3.05	4.4	2.5
WW-01-03	222.5	225.55	3.05	4.49	1.3
WW-01-03	227.08	230.12	3.04	7.74	1.3
WW-01-03	231.65	236.22	4.57	8.34	1.9
WW-01-03	237.74	242.32	4.58	7.04	1.7
WW-01-03	243.84	246.89	3.05	14.3	1.2
WW-02-03	198.12	201.17	3.05	6.05	1.2
WW-02-03	236.22	239.27	3.05	42.41	3.1
WW-02-03	326.14	327.66	1.52	9.02	1.8
WW-02-03	333.76	335.28	1.52	4.96	1.6
WW-03-03	137.16	138.68	1.52	3.73	2.6
WW-03-03	150.88	152.4	1.52	3.56	1
WW-03-03	158.5	160.02	1.52	3.56	0.4
WW-03-03	185.93	187.45	1.52	3.34	6.2
WW-03-03	198.12	204.22	6.1	5.19	15.8
WW-03-03	213.36	214.88	1.52	3.73	2.9

WW-04-03	167.64	169.16	1.52	3.4	0.3
WW-04-03	219.46	220.98	1.52	3.55	0.3
WW-04-03	222.5	224.03	1.53	4.3	0.6
WW-04-03	228.6	231.65	3.05	4.56	0.3
WW-04-03	233.17	239.27	6.1	4.54	0.3
WW-04-03	242.32	243.84	1.52	3.82	0.3
WW-04-03	246.89	260.6	13.71	10.04	1.9
WW-04-03	269.75	271.27	1.52	4.35	3.1
WW-04-03	278.89	281.94	3.05	6.6	7.2
WW-06-03	592.84	594.36	1.52	7.07	0.2
WW-07-03	443.48	445.01	1.53	3.21	0.7
WW-08-04	171.3	175.87	4.57	7.56	0.3
WW-08-04	213.82	241.25	27.43	8.94	1.3
WW-08-04	248.11	251.92	3.81	15.63	1
WW-08-04	254.2	258.01	3.81	6.72	1.1
WW-08-04	263.35	270.97	7.62	6.14	1.9
WW-09-04	238.66	241.1	2.44	13.75	1.7
WW-10-04	258.47	271.88	13.41	6.12	0.7
WW-10-04	277.22	294.74	17.52	7.3	1.3
WW-10-04	298.55	300.08	1.53	4.31	0.5
WW-10-04	302.36	311.51	9.15	5.16	0.7
WW-10-04	339.24	340.77	1.53	6.69	1.5
WW-11-04	318.67	321.72	3.05	6.77	10.8
WW-12-04	356.92	358.44	1.52	6.23	0.9
WW-12-04	375.21	376.73	1.52	3.97	5.1
WW-13-04	281.03	284.07	3.04	6.79	2.1
WW-13-04	285.6	287.12	1.52	3.25	5.3
WW-13-04	290.17	291.69	1.52	3.19	2.4
WW-14-04	92.35	94.03	1.68	3.12	0.2
WW-14-04	113.93	115.46	1.53	3.03	0.2
WW-14-04	116.98	124.66	7.68	5.88	16.9
WW-14-04	234.39	238.96	4.57	5.84	1.8
WW-14-04	251.55	288.68	37.13	13.2	16.9
WW-14-04	290.96	306.2	15.24	10.85	48.2
WW-14-04	312.42	316.84	4.42	4.52	2.9
WW-15-04	275.54	277.06	1.52	3.03	0.1
WW-16-04	236.98	239.27	2.29	4.84	5
WW-16-04	320.04	321.56	1.52	3.74	0.2
WW-16-04	481.13	483.41	2.28	6.5	0.1
WW-17-04	176.48	178.25	1.77	3.02	32.8
WW-17-04	186.23	190.5	4.27	3.08	9.4
WW-17-04	210.62	215.19	4.57	4.49	16.1
WW-17-04	221.89	234.39	12.5	4.9	9.2
WW-17-04	252.68	255.73	3.05	3.29	10.7
WW-17-04	283.16	284.68	1.52	6.65	1.3
WW-17-04	286.21	298.09	11.88	11.73	1.5
WW-17-04	301.14	302.67	1.53	6.55	3.7
WW-17-04	305.71	307.24	1.53	3.02	1.6
WW-17-04	310.29	311.81	1.52	4.8	1.7
WW-17-04	322.48	324	1.52	3.61	3.4

WW-17-04	331.62	333.15	1.53	12.79	0.5
WW-17-04	343.81	345.34	1.53	3.67	4.9
WW-17-04	356.01	363.63	7.62	7.56	1.7
WW-17-04	380.7	382.22	1.52	3.17	5.4
WW-18-04	197.75	219.76	22.01	11.91	11.8
WW-18-04	221.28	225.09	3.81	5.33	12.9
WW-18-04	233.48	235	1.52	3.1	0.9
WW-19-04	194.77	199.55	4.78	13.18	0.6
WW-19-04	231.19	232.71	1.52	3.51	11.6
WW-19-04	238.66	240.79	2.13	5.39	6.2
WW-21-04	313.94	315.47	1.53	93.07	0.8
WW-21-04	371.86	373.38	1.52	25.37	3.3
WW-22-04	212.6	216.41	3.81	3.84	16.1
WW-22-04	221.74	224.33	2.59	3.43	7
WW-22-04	233.48	235	1.52	6.67	0.2
WW-22-04	236.52	239.57	3.05	8.47	0.2
WW-23-04	230.12	234.7	4.58	10.28	10.4
WW-24-04	114	115.52	1.52	3.1	0.2
WW-25-04	195.07	196.6	1.53	3.16	0.4
WW-25-04	231.65	233.17	1.52	3.07	0.2
WW-25-04	247.65	251.46	3.81	5.85	0.9
WW-25-04	314.71	322.33	7.62	5.63	4.3
WW-25-04	336.8	338.33	1.53	4.38	5.8
WW-27-04	272.03	274.32	2.29	5.77	1.6
WW-27-04	278.13	285.75	7.62	5.58	3
WW-27-04	308.15	315.77	7.62	26.22	6.7
WW-27-04	318.64	322.39	3.75	4.25	3.8
WW-27-04	324.31	327.66	3.35	3.68	2.6
WW-28-04	210.31	211.84	1.53	5.94	1.7
WW-28-04	264.41	267.46	3.05	20.92	13.3
WW-29-04	292.61	295.66	3.05	8.37	0.8
WW-29-04	297.18	298.7	1.52	4.2	1.7
WW-30-04	264.41	266.7	2.29	4.89	1.9
WW-30-04	282.7	285.75	3.05	3.61	2.2
WW-30-04	303.28	306.32	3.04	4.08	23.3
WW-30-04	316.99	318.52	1.53	3.83	1.2
WW-31-04	259.08	260.6	1.52	34	0.5
WW-31-04	263.65	265.18	1.53	3.22	1
WW-31-04	266.7	269.75	3.05	5.72	3.4
WW-31-04	278.89	280.42	1.53	3.2	2.4
WW-31-04	284.99	286.51	1.52	4.04	1.1
WW-31-04	288.04	289.56	1.52	3.48	1.2
WW-31-04	292.61	294.13	1.52	4.07	1.6
WW-31-04	298.7	304.8	6.1	3.54	5.4
WW-31-04	308.61	313.18	4.57	4.17	3.5
WW-31-04	314.71	316.23	1.52	3.63	0.8
WW-32-04	170.69	173.74	3.05	4.24	2.1
WW-32-04	175.26	176.78	1.52	5.78	1.2
WW-32-04	329.18	332.99	3.81	4.55	1.7
WW-33-04	164.59	166.12	1.53	4.16	0.1

WW-33-04	172.21	173.74	1.53	6	0.1
WW-33-04	190.5	193.55	3.05	6.56	0.2
WW-33-04	196.6	199.64	3.04	4.32	0.2
WW-33-04	201.17	208.79	7.62	3.72	1.4
WW-33-04	236.22	240.03	3.81	5.14	1
WW-33-04	242.32	243.84	1.52	5.79	0.7
WW-33-04	255.27	256.79	1.52	3.27	1.8
WW-33-04	259.08	261.37	2.29	4.14	1
WW-33-04	264.41	268.99	4.58	5.82	1.1
WW-33-04	270.51	275.84	5.33	15.93	1
WW-33-04	277.37	278.89	1.52	3.2	1.9
WW-33-04	300.23	303.28	3.05	6.43	2
WW-33-04	306.32	310.9	4.58	11.07	1.3
WW-33-04	352.04	353.57	1.53	4.74	0.8
WW-34-05	185.01	186.54	1.53	3.92	22.5
WW-34-05	191.11	196.6	5.49	9.55	8.9
WW-36-05	114.3	117.35	3.05	4.24	0.4
WW-37-05	142.04	144.17	2.13	3.99	2.2
WW-37-05	171.3	172.82	1.52	3.29	0.8
XC-07-01	121.62	123.41	1.79	3.63	0
XC-07-01	157.28	163.07	5.79	6.99	2.6
XC-07-07	208.79	214.88	6.09	6.43	2.2
XC-07-07	219.46	222.5	3.04	4.24	10.5
XC-07-07	224.03	229.21	5.18	4.33	39
XC-07-09	44.2	45.72	1.52	4.8	0.9
XR-06-03	45.72	47.24	1.52	3.77	0.3
XR-07-01	452.63	454.15	1.52	6.79	2.6
XR-07-103	144.78	146.3	1.52	4.45	0.5
XR-07-106	134.11	135.64	1.53	3.33	5.5
XR-07-106	190.5	192.02	1.52	12.99	0.1
XR-07-112	1.52	3.05	1.53	3.64	0.4
XR-07-113	163.07	164.59	1.52	6.49	0
XR-07-12	47.24	48.77	1.53	6.6	0.6
XR-07-17	3.05	4.57	1.52	8.77	0.2
XR-07-18	111.25	114.3	3.05	4.42	1.5
XR-07-25	156.97	163.07	6.1	32.47	0.6
XR-07-36	135.64	138.68	3.04	53.08	15.9
XR-07-82	102.11	103.63	1.52	3.45	1.6
XR-07-82	152.4	153.92	1.52	5.6	1
XR-07-86	185.93	187.45	1.52	3.48	0.4
XR-07-93	188.98	190.5	1.52	13.34	0.4
XR-07-95	33.53	35.05	1.52	3.94	4.2
XR-07-99	126.49	129.54	3.05	3.58	0.9
XR-07-99	187.45	188.98	1.53	13.86	1.7
XW-07-52	243.2	244.82	1.62	9.69	0.8
XW-07-60	155.45	156.97	1.52	8.03	0.8
XW-07-60	164.59	166.12	1.53	3.28	1.4
XW-07-60	167.64	171.54	3.9	4.61	1.7
XW-07-60	233.17	239.88	6.71	4.48	8.2
XW-07-60	256.03	257.56	1.53	6.43	15.6

XW-07-60	259.08	269.75	10.67	5.45	2.2
XW-07-60	271.27	274.32	3.05	3.59	1.9
XW-07-60	277.37	278.89	1.52	8.67	0.6
XW-07-60	288.04	289.56	1.52	5.89	0.8
XW-07-60	335.19	336.8	1.61	3.43	0.9
XW-07-61	210.31	211.84	1.53	4.54	0.9
XW-07-65	201.17	205.74	4.57	3.78	15.9
XW-07-65	361.19	362.71	1.52	3.34	1.2
XW-07-65	364.24	365.76	1.52	3.45	1.3
XW-07-65	409.96	411.48	1.52	3.15	0.7
XW-07-68	94.49	96.01	1.52	3.44	0.1
XW-07-68	100.58	102.11	1.53	3.47	0.1
XW-07-68	108.2	109.73	1.53	4.1	0.3
XW-07-68	111.25	114.3	3.05	3.45	1.7
XW-07-68	126.49	131.06	4.57	3.85	13.5
XW-07-68	164.59	166.12	1.53	4.27	19.3
XW-07-68	185.93	187.45	1.52	3.41	1.3
XW-07-71	266.7	269.75	3.05	4.03	3.6
XW-07-71	272.8	277.37	4.57	6.13	2.8
XW-07-73	155.45	158.5	3.05	4.99	1.4
XW-07-73	170.69	173.74	3.05	5.44	0.7
XW-07-73	176.78	178.31	1.53	5.87	2.3
XW-07-73	190.5	192.02	1.52	3.07	2.9
XW-07-73	222.5	224.03	1.53	3.48	3
XW-07-73	234.7	236.22	1.52	3.87	1.8